

Extraction File Layout

	Data Length	Data Type	Definition
<b>EXCEPTION BATCH HEADER RECORD</b>			Total length is 442. An Exception Batch Header is at the start of each batch in the Exception file. For ISAWS counties only, it is preceded by an ISAWS Exception Batch Header Record.
Transaction Code	4	A/N	Unique code that identifies an Exception Batch Header in the Exception file. Value is 'EXCP'.
Transaction Version	2	N	Taken from Transaction Version in Batch Header Record of county's Extraction file; an exception to this is if the only records in the Exception batch are Exception WTW Detail Records with Reason Code '284'; in this case, Transaction Version is '98'.
County Code	2	A/N	Taken from County Code in Batch Header Record of county's Extraction file.
Batch Number	4	N	Taken from Batch Number in Batch Header Record of county's Extraction file; an exception to this is if the only records in the Exception batch are Exception WTW Detail Records with Reason Code '284'; in this case, Batch Number is '9999'.
Filler	430		not used
<b>EXCEPTION BATCH TRAILER RECORD</b>			Total length is 442. An Exception Batch Trailer is at the end of each batch in the Exception file. For ISAWS counties only, it is followed by an ISAWS Exception Batch Trailer Record. The Exception Batch Trailer record is almost identical in content to the Batch Trailer Record in the county's Extraction file.

Extraction File Layout

	<b>Data Length</b>	<b>Data Type</b>	<b>Definition</b>
Transaction Code	4	A/N	Unique code that identifies an Exception Batch Trailer in the Exception file. Value is 'TRAL'.
Transaction Version	2	N	Taken from Transaction Version in Batch Header Record of county's Extraction file; an exception to this is if the only records in the Exception batch are Exception WTW Detail Records with Reason Code '284'; in this case, Transaction Version is '98'.
County Code	2	A/N	Taken from County Code in Batch Header Record of county's Extraction file.
Batch Number	4	N	Taken from Batch Number in Batch Header Record of county's Extraction file; an exception to this is if the only records in the Exception batch are Exception WTW Detail Records with Reason Code '284'; in this case, Batch Number is '9999'.
Total Number of Records Processed	10	N	Sample value: '0000000452'. If the only records in the Exception batch are Exception WTW Detail records with Reason Code '284', value is '0000000000'.
Total Number of Records Received	10	N	Sample value: '0000000452'. If the only records in the Exception batch are Exception WTW Detail records with Reason Code '284', value is '0000000000'.
Filler	410		not used

Extraction File Layout

	Data Length	Data Type	Definition
<b>ISAWS EXCEPTION BATCH HEADER RECORD</b>			Total length is 442. For ISAWS counties only, an ISAWS Exception Batch Header is at the start of each batch in the Exception file, preceding the Exception Batch Header.
Filler	1		not used
Record Type	3	A/N	Unique code that identifies an ISAWS Exception Batch Header in the Exception file. Value is 'F01'.
Filler	1		not used
County Code	2	A/N	Taken from County Code in Batch Header Record of county's Extraction file.
Filler	1		not used
Worker Location Code	2	A/N	Value is '01'
Filler	1		not used
Standard File Name	6	A/N	Value is 'WDEXCP'
Filler	1		not used
Batch Number	3	A/N	Taken from Batch Number in Batch Header Record of county's Extraction file; an exception to this is if the only records in the Exception batch are Exception WTW Detail Records with Reason Code '284'; in this case, Batch Number is '999'.
Filler	1		not used
Creation Date	8	Date	Indicates the date the Exception batch was created.
Filler	1		not used
Creation Time	6	Time	Indicates the time the Exception batch was created.
Filler	405		not used

Extraction File Layout

	Data Length	Data Type	Definition
<b>ISAWS EXCEPTION BATCH TRAILER RECORD</b>			Total length is 442. For ISAWS counties only, an ISAWS Exception Batch Trailer is at the end of each batch in the Exception file, following the Exception Batch Trailer.
Filler	1		not used
Record Type	3	A/N	Unique code that identifies an ISAWS Exception Batch Trailer in the Exception file. Value is 'F02'.
Filler	1		not used
County Code	2	A/N	Taken from County Code in Batch Header Record of county's Extraction file.
Filler	1		not used
Worker Location Code	2	A/N	Value is '01'
Filler	1		not used
Standard File Name	6	A/N	Value is 'WDEXCP'
Filler	1		not used
Batch Number	3	A/N	Taken from Batch Number in Batch Header Record of county's Extraction file; an exception to this is if the only records in the Exception batch are Exception WTW Detail Records with Reason Code '284'; in this case, Batch Number is '999'.
Filler	1		not used
Creation Date	8	Date	Indicates the date the Exception batch was created.
Filler	1		not used
Creation Time	6	Time	Indicates the time the Exception batch was created.
Filler	1		not used

Extraction File Layout

	Data Length	Data Type	Definition
Total Records	8	N	Total number of records in the Exception batch (not including ISAWS Exception Batch Header and ISAWS Exception Batch Trailer).
Filler	396		not used
<b>EXCEPTION BATCH DETAIL RECORD</b>			Total length is 442.
Batch Extraction Record Image	150	A/N	An image of the corresponding record from the county's Extraction file. The Transaction Code in the Extraction image (positions 1-4) is 'EXTR' or one of the 'LDXX' Transaction Codes.
Filler	25		not used
Record Number	10	N	Value is always 0000000000.
Reason Code	3	A/N	Reason code for the warning or error condition. Note that Reason Code '999' is informational, not an error or warning; a Reason Code '999' Exception Batch Detail Record is created for each batch received from a county.
Reason Code Description	254	A/N	a detailed description of the Reason Code.
<b>EXCEPTION WTW DETAIL RECORD</b>			Total length is 442. These records are WTW warning messages. They are created during batch cycle processing for an LD03 TRAC WTW Extraction file transaction. Reason Code is '286' (LD03 was from the same county as the one that will receive the Exception file) or '284' (LD03 was from a different county than the one that will receive the Exception file).

Extraction File Layout

	<b>Data Length</b>	<b>Data Type</b>	<b>Definition</b>
Transaction Code	4	A/N	Unique code that identifies an Exception WTW Detail record in the Exception file. Value is 'WTWX'.
CIN	9	A/N	The Client Index Number (CIN) is the primary key in the WDTIP system. The number is supplied from data created in the Statewide Client Index (SCI) system.
Case Serial Number	7	A/N	A unique number assigned to one or more people who are applying for (or receiving) benefits together in California. This number is assigned by the County Welfare Agency in California determining eligibility for the program benefits.
Case FBU MEDS Code	1	A/N	An identifier that defines the family budget unit (or household) that an individual belongs to within a case. Individuals with the same FBU are included together for the benefit calculation for a program.
Person Number	2	A/N	A number assigned to a participant within a case that is used as a shorthand way to identify an individual within a case (rather than using CIN or other identifying number).
County Code	2	A/N	Identifies the county that submitted the associated LD03 TRAC WTW Extraction file transaction.
Filler	150		not used
Record Number	10	N	Value is always 0000000000
Reason Code	3	A/N	Values: '284' or '286'
Reason Code Description	254	A/N	A detailed description of the Reason Code.

Extraction File Layout

	Data Length	Data Type	Definition
<b>EXCEPTION OVERLAPPING PROGRAM PARTICIPATION DETAIL RECORD</b>			Total length is 442. These records are Program Participation overlap warning messages. They are created during batch cycle processing for an LD02 TRAC Program Participation Extraction file transaction. Reason Code is '255', '271', or '272'.
Transaction Code	4	A/N	Unique code that identifies an Exception Overlapping Program Participation record in the Exception file. Value is 'OVRL'.
CIN	9	A/N	The Client Index Number (CIN) is the primary key in the WDTIP system. The number is supplied from data created in the Statewide Client Index (SCI) system.
Case Serial Number	7	A/N	A unique number assigned to one or more people who are applying for (or receiving) benefits together in California. This number is assigned by the County Welfare Agency in California determining eligibility for the program benefits.
Case FBU MEDS Code	1	A/N	An identifier that defines the family budget unit (or household) that an individual belongs to within a case. Individuals with the same FBU are included together for the benefit calculation for a program.
Person Number	2	A/N	A number assigned to a participant within a case that is used as a shorthand way to identify an individual within a case (rather than using CIN or other identifying number).

Extraction File Layout

	<b>Data Length</b>	<b>Data Type</b>	<b>Definition</b>
County Code	2	A/N	County that submitted the associated LD03 TRAC WTW Extraction file transaction.
Filler	150		not used
Record Number	10	N	Value is always 0000000000
Reason Code	3	A/N	Values: '255', '271', or '272'
Reason Code Description	254	A/N	A detailed description of the Reason Code.